



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Jefferson-Lewis-Hamilton-Herkimer-Oneida BOCES

Project Name: Lead Testing - Dexter 3

Fred Hauck
20104 NYS Route 3
Watertown, NY 13601

Project / PO Number: N/A
Received: 10/03/2018
Reported: 10/16/2018

Analytical Testing Parameters

Table with 4 columns: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date. Values include 204, Drinking Water, J8J0285-01, RF - Client, 10/02/2018 6:45.

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Table with 9 columns: Metals, Total - ICP/MS, Result, Limit(s), RL, Units, Note, Prepared, Analyzed, Analyst. Row for Lead with result 0.0072.

Table with 4 columns: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date. Values include 205B, Drinking Water, J8J0285-02, RF - Client, 10/02/2018 6:46.

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Table with 9 columns: Metals, Total - ICP/MS, Result, Limit(s), RL, Units, Note, Prepared, Analyzed, Analyst. Row for Lead with result 0.0124.

Table with 4 columns: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date. Values include 209B, Drinking Water, J8J0285-03, RF - Client, 10/02/2018 6:51.

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Table with 9 columns: Metals, Total - ICP/MS, Result, Limit(s), RL, Units, Note, Prepared, Analyzed, Analyst. Row for Lead with result 0.0054.

Table with 4 columns: Client Sample ID, Sample Matrix, Lab Sample ID, Collected By, Collection Date. Values include 204B, Drinking Water, J8J0285-04, RF - Client, 10/02/2018 6:45.

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Table with 9 columns: Metals, Total - ICP/MS, Result, Limit(s), RL, Units, Note, Prepared, Analyzed, Analyst. Row for Lead with result 0.0063.



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Client Sample ID: 209	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:51
Lab Sample ID: J8J0285-05	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0129	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1229	DLO

Client Sample ID: 208B	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:50
Lab Sample ID: J8J0285-06	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0063	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1231	DLO

Client Sample ID: 208	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:50
Lab Sample ID: J8J0285-07	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0039	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1237	DLO

Client Sample ID: 207B	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:49
Lab Sample ID: J8J0285-08	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0095	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1238	DLO



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Client Sample ID: 207	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:49
Lab Sample ID: J8J0285-09	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0038	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1240	DLO

Client Sample ID: 206	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:48
Lab Sample ID: J8J0285-10	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0085	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1242	DLO

Client Sample ID: 206B	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:48
Lab Sample ID: J8J0285-11	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0113	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1244	DLO

Client Sample ID: 210B	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:52
Lab Sample ID: J8J0285-12	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0054	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1248	DLO



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Client Sample ID: 210	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:52
Lab Sample ID: J8J0285-13	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0109	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1250	DLO

Client Sample ID: 212	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:54
Lab Sample ID: J8J0285-14	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0054	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1251	DLO

Client Sample ID: 211B	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:53
Lab Sample ID: J8J0285-15	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0061	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1253	DLO

Client Sample ID: 211	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:53
Lab Sample ID: J8J0285-16	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0087	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1259	DLO



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Client Sample ID: 213B	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:56
Lab Sample ID: J8J0285-17	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0049	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1301	DLO

Client Sample ID: 213	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:56
Lab Sample ID: J8J0285-18	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0133	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1303	DLO

Client Sample ID: 214	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:57
Lab Sample ID: J8J0285-19	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0047	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1304	DLO

Client Sample ID: 214B	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:57
Lab Sample ID: J8J0285-20	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0073	0.015 AL	0.0010	mg/L		10/10/18 1529	10/11/18 1306	DLO



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Client Sample ID: 215B	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:58
Lab Sample ID: J8J0285-21	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0052	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1323	DLO

Client Sample ID: 215	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:58
Lab Sample ID: J8J0285-22	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0060	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1328	DLO

Client Sample ID: 212B	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:54
Lab Sample ID: J8J0285-23	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0049	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1330	DLO

Client Sample ID: 216B	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 7:00
Lab Sample ID: J8J0285-24	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0053	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1332	DLO



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Client Sample ID: 216	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 7:00
Lab Sample ID: J8J0285-25	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0041	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1334	DLO

Client Sample ID: 416	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:37
Lab Sample ID: J8J0285-26	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0110	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1336	DLO

Client Sample ID: 406	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:31
Lab Sample ID: J8J0285-27	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0089	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1341	DLO

Client Sample ID: 401	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:30
Lab Sample ID: J8J0285-28	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0092	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1343	DLO



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Client Sample ID: 403	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:32
Lab Sample ID: J8J0285-29	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0087	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1345	DLO

Client Sample ID: 407	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:34
Lab Sample ID: J8J0285-30	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0079	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1347	DLO

Client Sample ID: 410	Collected By: RF - Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:33
Lab Sample ID: J8J0285-31	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0069	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1349	DLO

Client Sample ID: 408	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:33
Lab Sample ID: J8J0285-32	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0109	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1352	DLO



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Client Sample ID: 412	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:34
Lab Sample ID: J8J0285-33	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0093	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1354	DLO

Client Sample ID: 512L	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:26
Lab Sample ID: J8J0285-34	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0080	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1356	DLO

Client Sample ID: 512R	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:26
Lab Sample ID: J8J0285-35	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0110	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1358	DLO

Client Sample ID: 409	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:35
Lab Sample ID: J8J0285-36	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0059	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1403	DLO



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Client Sample ID: 311	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:41
Lab Sample ID: J8J0285-37	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0138	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1405	DLO

Client Sample ID: 313	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:29
Lab Sample ID: J8J0285-38	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0107	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1407	DLO

Client Sample ID: 514	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:25
Lab Sample ID: J8J0285-39	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0125	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1409	DLO

Client Sample ID: 405	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:33
Lab Sample ID: J8J0285-40	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0059	0.015 AL	0.0010	mg/L		10/10/18 1535	10/11/18 1411	DLO



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Client Sample ID: 508	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:28
Lab Sample ID: J8J0285-41	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0069	0.015 AL	0.0010	mg/L		10/11/18 0900	10/11/18 0911	DLO

Client Sample ID: 518	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:38
Lab Sample ID: J8J0285-42	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0128	0.015 AL	0.0010	mg/L		10/11/18 0900	10/11/18 0922	DLO

Client Sample ID: 417	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:37
Lab Sample ID: J8J0285-43	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0058	0.015 AL	0.0010	mg/L		10/11/18 0900	10/11/18 0923	DLO

Client Sample ID: 203B	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:44
Lab Sample ID: J8J0285-44	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0109	0.015 AL	0.0010	mg/L		10/11/18 0900	10/11/18 0929	DLO



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Client Sample ID: 301	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:43
Lab Sample ID: J8J0285-45	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0132	0.015 AL	0.0010	mg/L		10/11/18 0900	10/11/18 0931	DLO

Client Sample ID: 205	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:46
Lab Sample ID: J8J0285-46	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0150	0.015 AL	0.0010	mg/L		10/11/18 0900	10/11/18 0933	DLO

Client Sample ID: 203	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:44
Lab Sample ID: J8J0285-47	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0054	0.015 AL	0.0010	mg/L		10/11/18 0900	10/11/18 0935	DLO

Client Sample ID: 414	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:36
Lab Sample ID: J8J0285-48	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0125	0.015 AL	0.0010	mg/L		10/11/18 0900	10/11/18 0940	DLO



Microbac Laboratories, Inc., New York Division

CERTIFICATE OF ANALYSIS

J8J0285

Client Sample ID: 411	Collected By: Client
Sample Matrix: Drinking Water	Collection Date: 10/02/2018 6:36
Lab Sample ID: J8J0285-49	

Analyses Subcontracted to: Microbac Laboratories, Inc. - Dayville

Metals, Total - ICP/MS	Result	Limit(s)	RL	Units	Note	Prepared	Analyzed	Analyst
Method: EPA 200.8, Rv. 5.4								
Lead	0.0121	0.015 AL	0.0010	mg/L		10/11/18 0900	10/11/18 0942	DLO

Results in **bold** have exceeded a limit defined for this project. Limits are provided for reference but as regulatory limits change frequently, Microbac Laboratories, Inc. advises the recipient of this report to confirm such limits and units of concentration with the appropriate Federal, state or local authorities before acting on the data.

Definitions

- AL: US EPA Action Level
- RL: Reporting Limit

Project Requested Certification(s)

Microbac Laboratories, Inc. - Dayville 11549	New York State Department of Health
Microbac Laboratories, Inc., New York Division NY Lab ID No.: 10795	New York State Department of Health

Report Comments

Samples were received in proper condition and the reported results conform to applicable accreditation standard unless otherwise noted.

The data and information on this, and other accompanying documents, represents only the sample(s) analyzed. This report is incomplete unless all pages indicated in the footnote are present and an authorized signature is included.

Reviewed and Approved By:

Brenna Murray
Project Manager
Reported: 10/16/2018 09:51

Phone: (607) 753-3403 Fax: (607) 753-3415
 NY #10795, EPA #NY00935

Microbac Laboratories, Inc.

CHAIN OF CUSTODY

Samples must be returned on ice
 MNY Workorder #



Jefferson-Lewis-Hamilton-Herkimer-Oneid

Client Information		Billing/Invoice:		Analytix Requested		Receiving Info (Lab Use Only)	
Name:	Jefferson-Lewis-Hamilton-Herkimer, Oneida BOCES			Ice:	YES (NO)	YES (NO)	YES (NO)
Address:	20104 NYS Route 3 Watertown, NY 13601			Cooler:	YES (NO)	YES (NO)	YES (NO)
Contact:	Ray Filley			Sample Temp:	9.5		
Phone:	315-779-7054			Cooler Seal:	YES NO		
Project:	Lead Testing			Pickup:	YES NO		
Queue ID:				Dropeff:	C W		
PO#:				Accepted?	YES NO		
Run TAT Bar. Days:	2-5 5-7 7-10			Container Material:			
Release to DOH: Yes				Container Size (In ml):			
Email Results: Yes				Preservative:			
Fax Results: Yes				Comments/Field ID			
	filley@boCES.com / fhack@boCES.com						

Sample Information			Number of Containers for Analysis Requested		Comments/Field ID
Description/Location	Date	Time	Initial	Matrix Type	
204	10/2/18	6:45	RF		
205B		6:46			
209B		6:51			
204B		6:45			
209		6:51			
208 B		6:50			
208		6:50			
207B		6:49			

Signature	Date/Time	Comment
<i>[Signature]</i>	10/2/18 0830	
<i>[Signature]</i>	10/3/18 0930	No Acid

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement.

Microbac Laboratories, Inc. Samples must be returned on ice CHAIN OF CUSTODY

DEXTER 3

Billing/Invoice:

Jefferson-Lewis-Hamilton-Herkimer-Oneida BOCES

20104 NYS Route 3

Watertown, NY 13601

Contact: Ray Filley

Phone: 315-779-7054

Project: Lead Testing

Quote ID:

PO#:

Date Req.:

Rush TAT Bus. Days: 2-5 5-7 7-10

Release to DOH: Yes

Email Results: Yes

Fax Results: Yes

Small Results: Yes

ffilley@boces.com / ffilley@boces.com

Analysis Requested

Receiving Info (Lab Use Only)

Ice: YES NO

Cooler: YES NO

Sample Temp: *19.5*

Cooler Seal: YES NO

Pickup: YES NO

Dropeff: C W

Accepted? YES NO

Container Material

Container size(In ml)

Preservative

Jefferson-Lewis-Hamilton-Herkimer-Oneid



Sample Information	Matrix Type	Initial	Time	Date	Number of Containers for Analysis Requested	Comments/Field Dc
207	HNO3	RF	6:49	10/2		
206a			6:48			
206b			6:48			
210b			6:52			
210			6:52			
212			6:54			
211b			6:53			
211			6:53			

Sample ID	Description/Location	Matrix Type	Initial	Time	Date	Signature	Date/Time	Comments
207	200.8 Lead	HNO3	RF	6:49	10/2	<i>[Signature]</i>	10/2/19	
206a				6:48		<i>[Signature]</i>	10/3/18	980
206b				6:48		<i>[Signature]</i>		NO Temp
210b				6:52				
210				6:52				
212				6:54				
211b				6:53				
211				6:53				

Print Name and Company

Signature: *[Signature]*

Received: *[Signature]*

Received: *[Signature]*

Received: *[Signature]*

Received: *[Signature]*

Received: *[Signature]*

Received: *[Signature]*

Comments: NO Temp

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory. By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with the terms and conditions of the subcontract.

Cortland NY 13045
 Phone:(607)763-3403 Fax:(607)763-3415
 NY #10795, EPA #NY008935

Microbac Laboratories, Inc. Samples must be returned on ice
CHAIN OF CUSTODY

Dexter 3

MNY Workorder #

Client Information
 Billing/Invoice:
 Name: Jefferson-Lewis-Hamilton-Herkimer-Onieda BOCES
 Address: 20104 NYS Route 3
 Watertown, NY 13601
 Contact: Ray Filley
 Phone: 315-779-7054
 Project: Lead Testing
 Quote ID:
 Rush TAT Bus. Days: 3 2-5 5-7 7-10
 Release to DOH: Yes
 Email Results: Yes
 Fax Results: Yes
 PO#: _____
 Date Req.: _____
 Email: rfilley@boces.com / fhawck@boces.com



Jefferson-Lewis-Hamilton-Herkimer-Onied

Receiving Info (Lab Use Only)
 Ice: YES NO
 Cooler: YES NO
 Sample Temp: 19.5 C
 Cooler Seal: YES NO
 Pickup: YES NO
 Dropoff: C W
 Accepted? YES NO
 Container Material
 Container Size (in MI)
 Preservative
 Comments/Field Data

Analysis Requested		Number of Containers for Analysis Requested		Comments/Field Data	
Matrix	Type				
200.8 Lead	P				
250					
HNO3					

Sample Information

Description/Location	Date	Time	Initial	Matrix	Type
512L	10/2	6:26	RF		
512R		6:26			
409		6:35			
311		6:41			
313		6:29			
514		6:25			
465		6:33			
509		6:28			

Print Name and Company
 Sampled: *Raymond Fung*
 Received: *Sheldon*
 Received: *Sheldon*
 Received: *Sheldon*
 Received: *Sheldon*
 Received: *Sheldon*
 Received: *Sheldon*
 Date/Time: 10/2/10
 10/18/2010
 No Acid

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory.
 By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement.

Cortland NY 13045
 Phone:(607)763-3403 Fax:(607)763-3415
 NY #10795, EPA #NY00935

Microbac Laboratories, Inc. Samples must be returned on ice CHAIN OF CUSTODY

MNY Workorder #



Jefferson-Lewis-Hamilton-Herkimer-Oneida

Client Information

Name: Jefferson-Lewis-Hamilton-Herkimer Oneida BOCES
 Address: 20104 NYS Route 3
 Watertown, NY 13601
 Contact: Ray Filley
 Phone: 315-779-7054
 Project: Lead Testing
 Quote ID: _____
 Rush TAT Bus. Days: 3-5 5-7 7-10
 Release to DOH: Yes
 Email Results: Yes
 Fax Results: Yes

Billing/Invoices: **ORDER 3**
 PO#: _____
 Date Req.: _____
 Email: rfilley@boces.com / fhauck@boce5.com

Sample Information			Receiving Info (Lab Use Only)	
Description/Location	Date	Time	Initial	Matrix Type
518	10/2	6:38	RF	HNO3
417		6:37		
203B		6:44		
301		6:43		
205		6:40		
203		6:44		
414		6:36		
411		6:36		

Sample Information		Receiving Info (Lab Use Only)		Analysis Requested		Number of Containers for Analysis Requested		Comments/Field Data	
Description/Location	Date	Time	Initial	Matrix Type	Accepted?	Container Material	Container Size (in ml)	Preservative	Comments
518	10/2	6:38	RF	HNO3	YES	NO			
417		6:37			YES	NO			
203B		6:44			YES	NO			
301		6:43			C	W			
205		6:40			YES	NO			
203		6:44			YES	NO			
414		6:36			YES	NO			
411		6:36			YES	NO			

Print Name and Company: **RAY FILLEY**
 Signature: *[Handwritten Signature]*
 Date/Time: 10/2/10 8:30
 Date/Time: 10/5/10 9:30
 Comments: 10518930AB-AEO

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory.
 By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with this.

Cortland NY 13045
 Phone:(607)763-3403 Fax:(607)763-3415
 NY #10795, EPA #NY00935

Microbac Laboratories, Inc.
CHAIN OF CUSTODY

Samples must be returned on ice
 MNY Workorder #



Jefferson-Lewis-Hamilton-Herkimer-Oneid

Client Information		Billing/Invoices		Analytix Requested		Receiving Info (Lab Use Only)	
Name:	Jefferson-Lewis-Hamilton-Herkimer-Oneida BOCES	Invoice #:		Ice:	YES NO	Container Material:	YES NO
Address:	20104 NYS Route 3	PO#:		Cooler:	YES NO	Container Size (in MI):	YES NO
Contact:	Watertown, NY 13601	Date Req.:		Sample Temp:	19.50 C	Preservative:	
Phone:	Ray Filley			Cooler Seal:	YES NO		
Project:	315-779-7054			Pickup:	YES NO		
Quote ID:	Lead Testing			Drops/ft:	C W		
Rush TAT Bus. Days:	< 2-5 5-7 7-10			Accepted?	YES NO		
Release to DQHT: Yes							
Email Results: Yes	rfilley@boces.com						
Fax Results: Yes	fflack@boces.com						

Sample Information			Number of Containers for Analysis Requested		Comments/Field Data
Description/Location	Date	Time	Initial	Matrix Type	
916	10/2	657	RF		
406		651			
401		630			
403		632			
407		634			
410		633			
408		633			
412		634			

Sampled:	Received:	Received:	Received:	Received:	Received:	Signature	Date/Time	Comments
							10/2/08	
							10/31/08	NO LEAD

Microbac Laboratories (MNY) may be unable to perform a portion of the requested testing in which case we will subcontract the analysis to another accredited laboratory.
 By signing this document you are attesting that you have been informed by MNY of the intent to subcontract and are in agreement with the terms and conditions of the subcontract.